



OTCnetSM
Deposits Made Simple

Chapter 2: Installation Requirements

OTCnet Participant User Guide

(This page intentionally left blank)

TABLE OF CONTENTS

Audience, Overview and Topics2

Topic 1. OTCnet System Requirements3

 OTCnet General Requirements3

 Operating System3

 System Requirements.....3

 Other Requirements.....4

Topic 2. OTCnet Check Capture System Requirements5

 OTCnet Check Capture Application System Requirements.....5

 OTCnet Check Capture Offline Application System Requirements7

 OTCnet Bandwidth Requirements8

Topic 3. OTCnet Check Capture Hardware Requirements.....9

 Printer Hardware9

 Scanner Hardware9

 Optional Battery Pack10

 Charging the Battery Pack10

 Connecting the Battery Pack11

 Optional Yes/ No Keypad.....11

Topic 4. OTCnet Technical Reference Guide13

 OTCnet General Requirements13

 Check Scanning and Check Processing.....13

Summary.....15

Glossary.....16

Index30

LIST OF TABLES

Table 1. OTCnet Check Capture Printer Functionality.....9

LIST OF FIGURES

Figure 1. Optional Battery Pack10

Figure 2. Optional Keypad12

Audience, Overview and Topics

Audience

The intended audience for *Installation Requirements Participant User Guide* includes:

- System Administrator
- Check Capture Administrator
- Check Capture Supervisor
- Lead Check Capture Operator
- Check Capture Operator

Overview

Welcome to *Installation Requirements*. In this chapter, you will learn:

- How to prepare your system to use OTCnet
- How to prepare your system to use OTCnet's check capture component

Topics

This chapter is organized by the following topics:

- Topic 1. OTCnet System Requirements
- Topic 2. OTCnet Check Capture System Requirements
- Topic 3. OTCnet Check Capture Hardware Requirements
- Topic 4. OTCnet Check Capture Printer Requirements

Topic 1. OTCnet System Requirements

This section provides system and configuration requirements for the online use of OTCnet and details the system and configuration requirements necessary to utilize OTCnet Check Capture. Additional requirements are necessary for OTCnet check processing/ check scanning. Please refer to the “OTCnet Check Processing Requirements” section on the next page for more information.

OTCnet General Requirements

This section details the system and configuration requirements necessary to utilize OTCnet for deposit processing. Additional requirements are necessary for OTCnet check processing / check scanning. Refer to the “OTCnet Check Processing Requirements” and “OTCnet Check Capture Offline Application Requirements” sections on the next page for more information.

Operating System

The following operating systems are supported by OTCnet:

- Windows XP (restricted to 32-bit for OTCnet)
- Windows Vista (restricted to 32-bit for OTCnet)
- Windows 7 (OTCnet supports both 32-bit and 64-bit versions of the operating system)

System Requirements

The following are requirements necessary to operate OTCnet:

- **Web Browser:** Internet Explorer 7¹, 8 or 9, 32-bit version only.
 - **Compatibility View or Browser Mode:** If using IE9, Compatibility View must be used or the Browser Mode must be set to IE8 when accessing OTCnet. Users working in Compatibility View or IE8 Browser Mode may see minor formatting differences (borders, shading, link location, etc.) that do not affect OTCnet functionality. Further information is provided below in the Technical Reference Guide.
- **Entrust Root Certificate:** The Entrust (2048) Root Certificate must be installed in the “Trusted Root Certification Authorities” certificate store on the “local machine” (all user profiles) for the workstation. This certificate is normally installed by default with Internet Explorer. If it has been removed, you will need to have your agency re-install the certificate.
- **Internet Options Security Settings:**
 - “Use SSL 3.0” or “Use TLS 1.0” must be enabled in the advanced tab of Internet Options for all user profiles on the workstation. OTCnet is a secure website and requires at least one of these settings to be enabled.
 - If accessing ITIM in the QA environment, “Use TLS 1.0” must be enabled.

- “Use TLS 1.0” does not have to be enabled to access ITIM or OTCnet in the production environment, but if it is disabled, “Use SSL .0” must be enabled.
- **Ports:** Router/Firewall Administrators must ensure and verify that outbound ACL (Access Control List) has complete https access, on port 443.
- **Workstation Memory:** 2 GB physical memory is required; 4 GB is recommended.
- **Free Disk Space:** 20 MB of free disk space is required.
- **Window Resolution:** Windows Resolution should be 1024x768 or 800x600.

¹ Internet Explorer 7 is not supported on Windows 7.

² Internet Explorer 9 must be operated in Compatibility View or IE8 Browser Mode. Additional information is provided below in the Technical Reference Guide.

Other Requirements

Users must have access to a unique email address to change their initial OTCnet passwords and access the online system.

Topic 2. OTCnet Check Capture System Requirements

The following system requirements are necessary for utilizing OTCnet check processing/check scanning. Note that these requirements must be performed by a workstation administrator (a user who is logged onto the workstation as a workstation administrator):

OTCnet Check Capture Application System Requirements

The following system requirements are necessary for utilizing OTCnet check processing. Please note that these requirements must be performed by a workstation administrator (a user who is logged onto the workstation as a workstation administrator):

- **Treasury Root Certificate:** The Treasury Root Certificate must be installed in the “Trusted Root Certification Authorities” certificate store on the “local machine” (all user profiles) for the workstation. Instructions for obtaining and installing the Treasury Root Certificate can be found on the [FMS OTCnet homepage](#) under the OTCnet Onboarding Toolkit.
- **OTCnet URLs Added to Trusted Sites Zone:** OTCnet URLs must be assigned to the Trusted Sites zone for Windows Vista and Windows 7 for all user profiles on the workstation. Note that this requirement is not necessary for Windows XP workstations. Instructions for adding OTCnet URLs to the trusted sites zone is provided below in the Technical Reference Guide.
- **ActiveX must be enabled in browser:** This must be enabled for all user profiles on the workstation that use OTCnet. ActiveX is typically enabled in the Trusted Sites Zone. If it is not enabled in the Trusted Sites Zone or if the OTCnet URLs cannot be added the Trusted Sites Zone, ActiveX will need to be explicitly enabled. Instructions for enabling ActiveX are provided below in the Technical Reference Guide.
- **ActiveX Filtering must be disabled in browser (IE9 only):** If using IE9 (in Compatibility View or IE8 Browser Mode), ActiveX Filtering must be disabled. Further information is provided below in the Technical Reference Guide.
- **Scanner Drivers (.MSI installation file):** Scanner driver and firmware (provided in an .MSI installation file) must be installed on the workstation. Instructions for obtaining and installing the .MSI file will be provided in a separate document. Further information is provided below in the Technical Reference Guide.
- **Java Runtime Environment (JRE):** The Java Runtime Environment (Java SE 6 or Java SE 7, 32-bit) must be installed and enabled on the workstation.

It is recommended that the latest version of Java be maintained at all times to ensure the highest level of security and OTCnet Check Capture functionality for your workstations. To access information about the latest version of Java, select the following link:

<http://www.oracle.com/technetwork/java/javase/downloads/index.html>. Please reference your agency’s internal policies and procedures prior to taking any action.

Please note that Java 6 is no longer supported by Oracle and is no longer receiving new security updates. The content of some of the Java updates may cause

issues and/or inconsistencies with some browser/workstation combinations and OTCnet check scanning. The chart below shows results of our latest Java compatibility testing.

Java Versions Compatibility					
	Java Version	Operating System			
		Windows XP	Windows Vista	Windows 7	Windows 7
Java 6	1.6.0_0 to 1.6.0_45	Compatible ¹	Compatible ¹	Compatible ¹	Compatible ¹
Java 7	Older Versions of Java 7	Limited Compatibility ^{1,2}	Limited Compatibility ^{1,2}	Limited Compatibility ^{1,2}	Limited Compatibility ^{1,2}
	Latest Version of Java 7	Compatible	Compatible	Compatible	Compatible

¹ You may be prompted to accept security warnings to continue using OTCnet when using an older version of Java.

² The Java security slider in the Java Control Panel may need to be set to **Medium** for these Java versions for OTCnet to function properly.

Security Update Installers – Security Update Installer 1.2.0 & OTCnet Security Update January 2014

Agencies installing OTCnet Offline Release 1.4 after March 14, 2014 need to install the repackaged Release 1.4 Offline software, titled OTCNET-1.4.0, and the Security Update Installer- 1.2.0. Agencies that upgraded to or installed OTCnet Offline Release 1.4 prior to March 14, 2014 need to install the Security Update Installer – 1.2.0 and the OTCnet Security Update – January 2014.

Java Expiration Dates

To improve Java security, Oracle has implemented an automatic "expiration" of the current Java version whenever a new release with security vulnerability fixes becomes available. The current Java version will automatically expire with the release of the next critical patch update. For systems without connectivity to Oracle Servers via the internet, a secondary mechanism containing a hard coded expiration date retires the previous version of Java one month after the latest scheduled critical patch update is released.

After a new release becomes available or a hard coded expiration date is reached, Java will provide additional warnings and reminders to users to update to the newest version. For information on Java security resources, please visit:

<http://www.java.com/en/security/>

- **Adobe:** All versions of Adobe are compatible with OTCnet, although Adobe X may require web browser configuration changes.
- **Adobe Reader¹:** Adobe Reader must be installed on the workstation to support receipt printing. All versions of Adobe are compatible with OTCnet, although Adobe X may require web browser configuration changes.

¹ Adobe Reader Version 7.x or higher required.

OTCnet Check Capture Offline Application System Requirements

This section details the additional system and configuration requirements necessary to use the offline version of OTCnet, which is available for users performing check processing / check scanning in areas with low bandwidth and/or unreliable internet connectivity. **These requirements are only necessary for the OTCnet Check Capture Offline Application.**

The following system requirements are necessary to use the offline version of OTCnet.

- **Free Disk Space:** 600 MB additional disk space. 350 MB is required to install the application; 250 MB is recommended to accommodate transaction and audit log data.
- **Secondary Storage:** Secondary storage is required. It is recommended that an external hard drive or network drive is used instead of a local folder for storage on the individual offline terminal. An external hard drive or network drive with 150 MB free disk space or USB flash drive is advised.
- **Java Access Bridge:** For 508 users, the Java Access Bridge must be installed on the workstation for Check Processing Offline to support the reading of a few browser pop-up windows. To install the Java Access Bridge, go to https://cde.sun.com/is-bin/INTERSHOP.enfinity/WFS/CDS-CDS_Developer-Site/en_US/-/USD/ViewProductDetail-Start?ProductRef=accessbridge-2.0.1-oth-JPR@CDS-CDS_Developer.
- **Windows User Permissions:** OTCnet users must *not* have Windows administrator access to the workstation on which the Offline application is installed. In addition, all workstation users must have “write” access to the following subfolders within the Offline application’s main installation folder:
 - C:\OTCnet_prod\data
 - C:\OTCnet_prod\log
 - C:\OTCnet_prod\server\logs

All other folders and subfolders within the main Offline application folder must be set to Read-only permissions for all OTCnet users on the workstation. Agencies assume responsibility for application exploits resulting from the failure to follow this requirement.

- **McAfee Exclusion:** McAfee Antivirus users that experience slow application startup times are advised to implement the following exclusions based on the Operating System used at the terminal.

Windows XP:

C:\Documents and Settings*\Local Settings\Temp\jetty-0.0.0.0-XXXX-otcnet-offline.war-_otcnet-any-\

C:\Documents and Settings*\Local Settings\Temp\JRCJNI\

C:\OTCnet_prod\

Windows 7:

C:\Users*\AppData\Local\Temp*\jetty-0.0.0.0-XXXX-otcnet-offline.war-_otcnet-any-\
C:\Users*\AppData\Local\Temp*\JRCJN\
C:\OTCnet_prod\

Please note that the McAfee Exclusion C:\OTCnet_prod\ is based on the default install location for OTCnet. Users should apply the appropriate McAfee Exclusion above based on the install location of OTCnet selected during the installation process. During the installation process of OTCnet Offline, users have the option to select the location to install.

Also, please note that users should apply the appropriate McAfee Exclusion above based on the Server HTTPS Port used in the OTCnet Offline installation process. During the installation process of OTCnet Offline, users have the option to input the Server HTTPS Port or keep the default Port setting. Please note the McAfee Exclusions above use the Server HTTPS Port XXXX, however users must use Port inputted during the installation process.

OTCnet Bandwidth Requirements

This section provides the minimum internet connectivity recommendations for setting up and utilizing OTCnet. Your agency's OTCnet Point of Contact (POC) has the Deployment Specialist's contact information, should you require assistance.

The following are bandwidth requirements necessary to operate OTCnet:

- A 1.2 MB connection is recommended to download the OTCnet Scanner Firmware and/or the OTCnet Offline client
- A 512 KBPS DSL connection is recommended to utilize the OTCnet Online application
- A 512 KBPS DSL connection is recommended to utilize the OTCnet Offline application when uploading batches

Topic 3. OTCnet Check Capture Hardware Requirements

This section will layout some details around the hardware used in OTCnet Check Capture. For more details, please refer to the scanner User Guides.

Printer Hardware

Access to a printer from the workstation where the **Check Capture Operator** or **Check Capture Lead Operator** will be using OTCnet for Check Capture is necessary. OTCnet requires a local/LAN printer configured on each system. The ability to print is required to properly process daily work

Scanner Hardware

A compatible check scanner connected to the workstation with an available 9-Pin Serial Port, PC Card Slot, or USB 2.0 port is needed to capture checks.

Table 1, shown below lists the check scanners and keypads compatible with OTCnet. It also indicates which scanners are compatible with which operating systems. The following table lists the check scanners compatible with OTCnet. The table also indicates which version of the scanner driver and firmware is required for each combination of scanner and operating system. Blacked out cells indicate INCOMPATIBLE scanner and operating system combinations.

Table 1. OTCnet Check Capture Scanner Compatibility

Firmware Version by Scanner and Operating System				
Scanners		Operating Systems		
Scanner Type	Model	XP	Vista ⁵	Windows 7
RDM	EC5000i ¹	1.2.1		
	EC6000i (non-Gen2) ¹	1.2.1		
	EC7000i ^{2,3}	1.5.1 or 1.6.0	1.5.1	1.5.1 or 1.6.0
	EC9000i	1.6.0		1.6.0
Panini	MyVisionX ⁴	1.6.0	1.6.0	1.6.0
	VisionX ⁴	1.6.0	1.6.0	1.6.0
	Panini I: Deal	1.6.0	1.6.0	1.6.0

¹ Supported connection via COM (male) to Serial (female)

² Supported connection via USB (male) to USB (male) or COM (male) to Serial (female)

³ Keypad connection requires the use of Firmware 1.5.1 for EC7000 scanners

⁴ Panini MyVisionX or VisionX scanners currently configured with Firmware 1.2.1 or 1.5.1 can continue scanning in OTCnet without issue. However, in order to select the VisionX option in the terminal configuration scanner drop-down, Firmware 1.6.0 must be installed.

⁵ Includes AGM Windows Vista Image

Please note that Offline users will not be able to use Firmware 1.6.0 unless they download the Release 1.5 Offline application. Furthermore, if you use the VisionX scanner on Firmware 1.6.0, you must select VisionX from the drop-down menu. Users running Firmware 1.6.0 with the MyVision X or VisionX scanners may receive two connectivity messages when clicking **Start Scan** after the first time the scanner USB is connected. Please accept the messages and re-click **Start Scan**. If the messages persist, please contact the Customer Support Team At 866-945-7920 or FMS.OTCChannel@citi.com.

The following keypads are compatible with OTCnet (KeyPads are optional hardware components – not required):

- Ingenico i3050
- Ingenico eN-Crypt¹

¹Ingenico encrypt was not tested for Release 1.5. Please note: USB-to-Serial adapters are not supported for any keypad device.

Optional Battery Pack

An optional battery pack can be used for the EC7000i scanner. Agencies who work in temporary housing or in areas where electricity may not always be available can utilize the battery pack to power the scanner for over an hour between charges. The battery package consists of a NiCd charger and a battery pack as seen below in Figure 1.

Figure 1. Optional Battery Pack



Charging the Battery Pack

Prior to using the battery pack, the unit must be charged by plugging it into a wall outlet. There is a 3-way switch on the battery pack. The switch has three symbols, =, ●, and —. Press the switch to move it to the ‘—’ symbol for charging. The LED display on the NiCd charger glows

orange for several minutes then changes to red. When fully charged, the LED display changes to green indicating that the battery pack is now ready for use.

Note: It takes approximately two hours to charge the battery pack. The battery pack provides 1.2 hours of continuous scanning, or approximately 497 checks, and has a continuous standby time of five hours.

Connecting the Battery Pack

To connect the battery pack to the scanner, disconnect the A/C cable from the port marked 'power' on the back of the scanner. Connect the short cable on the battery pack to the same 'power' port of the scanner. Press the 3-way switch on the battery pack to the '=' symbol. The scanner should power up as normal. The third switch on the battery pack is the middle position (the 0 symbol). This is the off position.

Optional Yes/ No Keypad

The Yes/No Keypad allows the customer to confirm the amount of the transaction during a transaction when the OTCnet terminal is configured to enable this feature, while in Customer Present mode. There are two models of Yes/No keypads used by OTCnet:


- Ingenico i3050³
- Ingenico eN-Crypt³

³ Includes AGM Windows Vista Image

Note: Both keypads are compatible with Windows XP, Windows Vista, and Windows 7. USB-to-Serial adapters are not supported for any keypad device.

The keypads are connected through the back of the scanner as shown in Figure 2 below.

Figure 2. Optional Keypad



For More Information

To learn more about OTCnet, please access our website at: www.fms.treas.gov/otcnet, email us at fms.otcinformation@citi.com or call 1-866-945-7920.

Topic 4. OTCnet Technical Reference Guide

This section provides further information to your agency system administrator on the system and configuration requirements needed for the online use of OTCnet. Please note that the Check Scanning and Check Processing requirements are only necessary if OTCnet is utilized for check processing/check scanning. Your agency's OTCnet Point of Contact (POC) has the Deployment Specialist's contact information, should you require assistance.

OTCnet General Requirements

- **Entrust Root Certificate:** Validate that the “Entrust 2048” Root Certificate is installed in the “Trusted Root Certification Authorities” store for all user profiles on the workstation. The full name on the certificate is “Entrust.net Certification Authority (2048)”. The “Entrust 2048” Root Certificate is normally installed by default with Internet Explorer. If it has been removed, you will need to have your agency re-install the certificate, which can be obtained at: <http://www.entrust.net/developer>
- **Internet Options Security Settings:** “Use TLS 1.0” must be enabled in the advanced tab of Internet Options for all user profiles on the workstation. TLS (Transport Layer Security) must be enabled in Internet Options for all user profiles on the workstation. TLS is normally enabled by default.

Check Scanning and Check Processing

- **Treasury Root Certificate:** The Treasury Root Certificate must be installed on each workstation, so that it appears in the “Trusted Root Certification Authorities” store for all user profiles on the workstation. Please refer to the “RootCertificateInstall-XP.docx” or “RootCertificateInstall-Vista.docx” documents for detailed instructions on how to install the Treasury Root Certificate.
- **OTCnet URL Added to Trusted Sites Zone:** You can use the Group Policy Object Editor or Group Policy Object Editor snap-in to add the OTCnet URL to the Trusted Sites Zone. This step is necessary to ensure ActiveX is enabled for OTCnet check scanning (ActiveX is typically enabled in the Trusted Sites Zone). Add the following OTCnet URL to the Trusted Sites Zone for all user profiles on the workstation:
<https://www.otcnet.fms.treas.gov>
- **ActiveX must be enabled in browser:** If you cannot add the OTCnet URL to the Trusted Sites Zone, or if your organization does not enable ActiveX in the Trusted Sites Zone for your workstations, you will need to enable ActiveX in all Zones for all user profiles on each OTCnet workstation in order to support check processing. Use the following browser security settings to securely enable ActiveX:
 - Allow previously unused ActiveX controls to run without prompt -> **Disable**
 - Allow Scriptlets -> **Disable**
 - Automatic prompting for ActiveX controls -> **Disable**
 - Binary and script behaviors -> **Enable**
 - Display video and animation on a webpage that does not use external media player -> **Disable**
 - Download signed ActiveX controls -> **Prompt**
 - Download unsigned ActiveX controls -> **Disable**
 - Initialize and script ActiveX controls not marked as safe for scripting -> **Disable**

- Only allow approved domains to use ActiveX without prompt -> **Enable** (IE 8 only)
- Run ActiveX controls and plug-ins -> **Enable**
- Script ActiveX controls marked safe for scripting -> **Enable**
- **Scanner Drivers (.MSI installation file):** Scanner driver and firmware (provided in an .MSI installation file) must be installed on the workstation. Instructions for obtaining and installing the .MSI file can be found in the OTCnet Web Based Training, Module 6.3: Download Firmware.
- **Java Runtime Environment (JRE) 1.6.0_20 or 1.6.0_24:** The Java Runtime Environment 1.6.0_20 (Java SE 6 Update 20) or 1.6.0_24 (Java SE 6 Update 24) must be installed and enabled on the workstation. If a JRE version higher than 1.6.0_24 is being used, please contact OTCnet Customer Service for compatibility questions or concerns.
- **Adobe:** All versions of Adobe are compatible with OTCnet, although Adobe X may require web browser configuration changes.
- **Adobe Reader¹:** Adobe Reader must be installed on the workstation to support receipt printing.

¹ Adobe Reader Version 7.x or higher required.

Glossary

A

Access Groups by Users Report - This report displays the roles and the corresponding access groups of the role for a particular OTCnet user. The role assigns the permissions (functions/features) that a user has access to in OTCnet. The access group governs the OTC Endpoint(s) and the data that a user has permission to access.

Accounting Code - A unique agency classification code assigned to a transaction, which identifies the FRB Account Key that is used within the Federal Reserve. In check capture, it is a method of grouping individual check transactions into certain classifications. In deposit reporting, the classification is being done at a voucher level, where a voucher is being classified with one or many agency defined accounting codes or TAS.

Accounting Code Description - A brief explanation that provides further detail about an accounting code.

Accounting Code Name - The title of the accounting code.

Accounting Key - The account number assigned to a deposit when it is submitted to FRB CA\$HLINK. The FRB Account Key is used by FRB CASHLINK in combination with the RTN to determine the appropriate CAN. The FRB Account Key is similar to the CAN, but is only used for FRB financial activity.

Accounting Specialist - A user who is an expert on the organizational structure, reporting needs and accounting rules for their agency. This role will establish and maintain the organizational foundation, accounting data and accounting relationships at the highest level of the agency in OTCnet.

Acknowledged Batch Status – Indicates the batch was transmitted and fully processed by the OTCnet server without error.

Acknowledged Error Batch Status – Indicates the acknowledge batch process experienced system errors and the acknowledgment was unsuccessful, or a user selected to cancel the batch acknowledgment which resulted in a batch being updated to Acknowledgment Error.

Activity Type - The parameter indicates if a User Defined Field (UDF) is used for capturing custom agency information for a deposit or during classifying the deposit with accounting codes. OTCnet allows for the creation of three UDFs for the deposit activity, and two UDFs for the deposit accounting subtotals activity.

Adjustment Activity (FI) Report - A business report that allows you to view adjustments made by your financial institution (FI).

Adjustment Activity (FRB) Report - A business report that allows you view adjustments made by your Federal Reserve Bank (FRB).

Adjustments by OTC Endpoints Report - A business report that allows you to view adjustments made by Agency Location Code (ALC) and Adjustment Types (Credit, Debit or Return Item Adjustments). An adjustment was created when a deposit ticket has been received by a financial institution and the amount of the deposit does not match the deposit amount reported on the deposit ticket.

Agency CIRA Report - A check processing business report that allows you to view the batch level transaction activity for a specified OTC Endpoint. A user can filter the report by Received Date, Capture Date, Batch ID, or Check Capture Operator.

Agency Contact - A person designated by an agency as the primary contact regarding deposit-related matters.

Agency Information - The optional comments or instructions, receipt processing dates, alternate agency contact, and internal control number for your deposit.

Agency Location Code (ALC) - A numeric symbol identifying the agency accounting and/or reporting office.

Agency Location Code plus 2 (ALC+2) - A numeric symbol identifying the agency accounting and/or reporting office.

Agency Manager - A user that has authorization to view and download CIRA records and view reports.

Alternate Agency Contact - A person designated by an agency as the secondary contact regarding deposit-related matters.

American Bankers Association (ABA) - (also known as **Bank Routing Number**) A routing transit number (RTN), routing number, or ABA number is a nine-digit bank code, used in the United States, which appears on the bottom of negotiable instruments such as checks identifying the financial institution on which it was drawn.

Approved Batch Status - Indicates that the batch is ready for settlement (online only). Indicates that the batch is ready for upload and settlement (offline only).

Audit Log - A table that records all interactions between the user and OTCnet Deposit Reporting, Check Capture, Check Processing, administrative actions and other processes that take place in the application. Some entries also contain before and after values for actions completed. The audit log is available for download to a *comma separated value report (CSV)* and opened in a spreadsheet program or available to print in a formatted audit log report.

Automated Clearing House - A computerized network used by member financial institutions to process payment orders in machine readable form. ACH processes both credit and debit transactions between financial institutions in batches. ACH items are settled electronically and do not require an image.

Awaiting Approval (AWAP) - A deposit that is waiting for deposit confirmation by a Deposit Approver.

B

Back Office Processing Method - Indicates that a customer presented a check in person, but the check is being scanned in a controlled back-office environment away from the customer.

Batch - A file containing the transaction information and tiff images (collection of scanned checks) of one or more checks, which will be sent for settlement.

Batch Approver - An agency user that has the authorization to approve a batch either prior to batch upload from OTCnet Offline or when a batch is uploaded/submitted to OTCnet Online but not yet approved. The Batch Approver permission must be applied to either a Check Capture Lead Operator or Check Capture Operator roles and allows the operators to approve batches that they have created. This role should be granted in limited cases at sites where there is a need for the operator to perform this function without a Check Capture Supervisor present.

Batch Control/Batch Balancing - An optional feature (which can be configured to be mandatory) that agencies can use as a batch balancing tool to perform checks and balances on the number of checks that have been scanned, and ensure their respective dollar amounts and check number totals have been accurately entered. The functionality is available for both single item mode and batch mode.

Batch ID - The unique number assigned to a batch by OTCnet.

Batch List Report - A report that contains transaction information for each batch item, including the Individual Reference Number (IRN), Item Type, ABA Number, Account Number, Check Number, and Amount.

Batch Status - Reflects the current state of a batch during processing, transmission, and settlement. The batch states for OTCnet Online are Open, Closed, Approved, and Forwarded. The batch states for OTCnet Offline are Open, Closed, Approved, Sending, Sent, Acknowledged, Send Error, and Acknowledgment Error (offline only).

Batch Uploader - An agency user that has the authorization to upload a batch from OTCnet Offline to the online database. The Batch Uploader permission must be applied to either a Check Capture Lead Operator or Check Capture Operator roles and allows the operators to auto-upload the batch upon close (if terminal is configured to do so), or upload approved batches. This role should be granted in limited cases at sites where there is a need for the operator to perform this function without a Check Capture Supervisor present.

Blocked - A customer may no longer present checks for a specific ABA number and account number due to manual entry by authorized persons into the MVD rather than the result of a failed transaction. If desired, an authorized user can edit the transactional record to a clear status.

Bureau of the Fiscal Service (FS) – (formerly FMS) The bureau of the United States Department of Treasury that provides central payment services to federal agencies, operates the federal government's collections and deposit systems, provides government wide accounting and reporting services, and manages the collection of delinquent debt owed to the government.

Business Event Type Code (BETC) - A code used in the CARS/GWA system to indicate the type of activity being reported, such as payments, collections, borrowings, etc. This code must accompany the Treasury Account Symbol (TAS).

C

CA\$HLINK II - An electronic cash concentration, financial information, and data warehouse system used to manage the collection of U.S. government funds and to provide deposit information to Federal agencies.

CA\$HLINK II Account Number (CAN) - The account number assigned to a deposit when it is submitted to CA\$HLINK II.

Capture Date - The calendar date and time the payment is processed by the agency.

Cashier ID - The ID of the user that created the transaction.

Central Accounting Reporting System (CARS) – (formerly GWA)The system that addresses the central accounting and reporting functions and processes associated with budget execution, accountability, and cash/other asset management. This includes the collection and dissemination of financial management and accounting information from and to federal program agencies.

Central Image and Research Archive (CIRA) - The Central Image Research Archive (CIRA) is an image archive of all items processed in the OTCnet System.

Characteristics - The properties of a user, organization, deposit, or financial institution.

Check 21 - Provides the legal framework for the creation of substitute checks which can be used in place of the original paper document, without an agreement in place with other financial institutions. A substitute check is a paper reproduction of the original check. Check 21 items require an image before they can settle. Check 21 is also referred to as check truncation.

Check Amount - The dollar amount of the check.

Check Capture – The component of OTCnet used to process scan images of checks and money orders through OTCnet for the electronic deposit of checks and money orders at financial institutions. Check capture can be done online through the internet, or offline through the user's desktop.

Check Capture Administrator - An agency user that has the authorization to define and modify the check capture sites; to manage accounting codes; to modify endpoint mappings; to configure Check Capture functions and perform upgrades of the application; to create and download user profiles; as well as download software or firmware to the terminal using the Download Check Capture application permission.

Check Capture Lead Operator - An agency user that has the authorization to in scan checks into a batch, close a batch, balance check amounts and enter batch control values during batch closing. Additionally, the user is authorized to accept checks with poor quality, make MICR line

corrections, and accept duplicate checks. This user is not authorized; however, to use an out-of-date LVD.

Check Capture Offline – A web-based functionality in the offline Check Capture application that resides in the user's desktop for capturing check images for the electronic deposit of checks and money orders. The check transactions are stored within a local database, and the check information will need to be uploaded to OTCnet server when there is internet connectivity before they can be deposited for settlement.

Check Capture Online – A web-based functionality within OTCnet to allow agencies users to process scanned images of checks and money orders for the electronic deposit of checks and money orders at financial institutions. The check transactions are directly saved to the OTCnet online database, and no upload of batches of checks are needed.

Check Capture Operator - An agency user that has the authorization to perform only very minimal Check Capture activities. This user has authorization to scan checks into a batch and close a batch. This user does not have authorization to accept duplicates, make MICR corrections, authorize the use of out-of-date LVD, or accept checks with poor quality. Additionally, the user can enter/apply the Accounting Code at the time of scanning checks is established.

Check Capture Supervisor - An agency user that has the authorization to perform all the functions on the Check Capture. The user has authorization to accept duplicates (not recommended), make MICR corrections, authorize the use of out-of-date LVD, and accept checks with poor quality as well as view, modify, import, and modify endpoint mappings.

Check Number - The printed number of the check writer's check.

CIRA CSV Historical Report - A check processing business report that allows you to query check records that are associated with batches that have been forwarded for settlement more than 18 months ago. The exported comma separated value report (CSV) data can be used to import into other applications within an agency.

CIRA CSV Report - A check processing business report that allows you to export data based on a query to a comma separated value report (CSV). The exported data can be used to import into other applications within an agency.

CIRA Viewer - A user that has authorization to view CIRA records and download CSV files.

Clear - Indicates that a customer may present checks for a specific ABA Number and Account Number, because the prior restrictions on the individual's check payments have been removed. Note: Manually cleared items are permanently cleared. If a transaction is cleared in error, manual suspend, block or deny records need to be created in its place to prevent transactions.

Closed Batch Status - Indicates the batch is closed and no new checks may be scanned into that batch.

Collections Information Repository (CIR)- (formerly TRS) A collections reporting tool, supplying the latest information on deposits and detail of collections transactions to federal agencies. The system will allow financial transaction information from all collections systems and settlement mechanisms to be exchanged in a single system.

Comma Separated Values (CSV) - A computer data file used for storage of data structured in a table form. Each line in the CSV file corresponds to a row in the table. Within a line, fields are separated by commas, each field belonging to one table column.

Confirmed - A deposit that has been reviewed and then confirmed by a financial institution or FRB.

Cost Center Work Unit (CCWU) – A Federal Reserve cost center work unit that processing the FRB deposits and adjustments. It is normally abbreviated as CCWU, and provided only on non-commercial (FRB settled) transactions. Debits and credits processed by FRB Cleveland will be noted with the CCWU number 9910 on the daily accounting statement agencies receive from the Federal Reserve Bank.

Custom Label - Text defined by OTCnet that describes a level in the organization hierarchy, the internal control number, or agency accounting code.

Customer Not Present Processing Method - The processing method selected in OTCnet when processing a check that has been presented by a check writer who is not present at the agency location i.e., mail.

Customer Present Processing Method - The processing method used in the OTCnet when the check writer is presenting the check in person.

D

Daily Voucher Report - A business report that allows you to view the daily voucher extract.

Data Type - The type of data that should be entered for a user defined field.

Date of Deposit - The date, prior to established cut off times, the user transmits a batch of checks and money orders through check capture, or the date the agency sends the physical negotiable instruments to the financial institution.

Debit Gateway - The financial settlement program that is responsible for the presenting and settling of payment transactions acquired through the OTCnet application. The Debit Gateway receives a transaction file from OTCnet and determines the proper path for settlement of each item. Items are either converted to ACH for direct automated clearing house debit, or are included in an image cash letter, which is sent to the Check 21 system for presentment to paying banks. Once the file is processed, the Debit Gateway sends a Response Processing File (RPF) to OTCnet with the status of each of the items.

Demand Deposit Account (DDA) - The account at a financial institution where an organization deposits collections.

Denied - Indicates that OTCnet system permanently denies an individual from cashing a check through OTCnet based on the combination of ABA number, account number, and User Defined Field 1. User Defined Field 1 is usually the SSN number of an individual.

Deny Date - Indicates when the verification record (MVD/LVD) expires, and OTCnet can start accepting checks that will be presented by a check writer that has previously presented a bad check. The Deny Date is calculated based on suspension periods configured in the Check Cashing policy of an OTC Endpoint.

Deposit - A collection of over-the-counter receipts deposited to a Treasury General Account for credit.

Deposit Activity (FI) Report - A business report that allows the financial institution to view deposits submitted to its location.

Deposit Activity (FRB) Report - A business report that allows you to view deposits submitted to your FRB.

Deposit Approver - A user who has authorization to review and submit deposits to a financial institution.

Deposit Confirmer - A user at a financial institution that has authorization to verify the accuracy of deposits received from an agency.

Deposit History by Status Report - A business report that allows you to view deposits by status.

Deposit Information - The attributes that define a deposit: deposit status, voucher number, deposit endpoint, ALC, voucher date, deposit total, check/money order subtotal, currency subtotal, and subtotals by accounting code.

Deposit Preparer - A user that has authorization to prepare and save deposits for approval to a Deposit Approver.

Deposit Total - The total amount of over-the-counter receipts included in the deposit.

Deposits by Accounting Code Report - A business report that allows you to view deposits by accounting code.

Deposits by OTC Endpoint Report - A business report that allows you to view deposits by OTC Endpoint.

Display Order Number - The order in which user defined fields (UDFs) should be displayed.

Draft - A deposit that is saved for modification at a later date by a Deposit Preparer.

F

Failed - The item was unable to be processed and/or settled by Treasury/FMS. These are item that could not be collected such as foreign items or possible duplicate items. These items are not included on your 215 Report.

Federal Program Agency - A permanent or semi-permanent organization of government that is responsible for the oversight and administration of specific functions.

Federal Reserve Bank (FRB) - A Federal Reserve Bank is one of twelve regulatory bodies throughout the United States that make up the Federal Reserve System. Each Bank is given power over commercial and savings banks in its area and is charged with making sure that those banks comply with any and all rules and regulations.

Federal Reserve Bank-Cleveland (FRB-C) - FRB-C serves as the conduit for settlement of transactions originating from the OTCnet application. FRB-C is responsible for receiving the transaction data from OTCnet via forward file, and performing check clearing/transaction settlement as the 'debit gateway'.

Federal Reserve System's Automated Clearing House (ACH) System - Enables debits and credits to be sent electronically between depository financial institutions.

Financial Institution (FI) - A bank, designated by the Treasury and a Treasury General Account (TGA) of International Treasury General Account (ITGA), which collects funds to be deposited in the Treasury General Account. These banks also include the Federal Reserve Bank (FRB).

Financial Institution Information - The name, address, routing transit number, and the demand deposit account number of a financial institution.

Firmware - A release used for initial download or upgrades to the scanner software that allows a scanner to be used on a terminal. The firmware versions also contains a series of other back-end installation files that should be installed on a terminal to enable it to be used for Check Capture in OTCnet.

Fiscal Year - A 12-month period for which an organization plans the use of its funds.

FMS Statistical Report - A check processing administration report that allows you to view statistical details for an OTC Endpoint. The report includes statistical information regarding the total transactions, overall success rate, total returns sent back to the agency, and total returns received. The report is available for 15 rolling days.

Forwarded Batch Status - Indicates the batch has been sent to Debit Gateway to initiate the settlement process.

Forwarded File - A term that is assigned to a file that contains the check transactions that is send from channel applications, such as OTCnet or ECP, to Debit Gateway for settlement purposes.

Franker - An internal stamp unit that stamps a check with "Electronically Processed" after the check is processed and scanned. Franker availability is based on the model of your scanner.

Franking - The process of stamping a check processed through Check Capture. The stamp indicates that the check was electronically processed.

H

Highest Level Organization - The primary level of the organization hierarchy.

I

IBM Tivoli Identity Manager (ITIM) - Refers to FMS's Enterprise provisioning tool for user account and identity management.

Individual Reference Number (IRN) - The auto-generated unique number used in OTCnet to identify Check Capture transactions.

Input Length Maximum - The maximum number of characters that may be entered in a user defined field.

Input Length Minimum - The minimum number of characters that may be entered in a user defined field.

Internal Control Number - A customizable field for agency use to further describe a deposit.

Item Detail Report - A report that contains the information about an individual item (check) associated with a batch. The report print-out will contain MICR information, data entered about the check, and an image of the check obtained during scanning.

Item Type - Indicates whether the check presented is a personal or business check. This determines whether the check is handled through Check 21 (non-personal) or FedACH (personal).

L

Local Accounting Specialist - A user who is an expert on the organizational structure, reporting needs and accounting rules for their depositing endpoint and its lower level OTC Endpoints. This role will establish and maintain the organizational structure, accounting code mappings to individual endpoints and the processing options that one or more lower level OTC Endpoints will use in OTCnet.

Local Security Administrator (LSA) - An agency or financial institution/federal reserve bank user who has authorization to maintain user access to an organization, including assigning/removing user roles and assigning/removing organization hierarchy access. This user is also able to request and create users for the organization.

Local Verification Database (LVD) - A database (specific to the endpoint using OTCnet) that is downloaded from OTCnet and stored locally on the agencies network, which replicates the information found in the Master Verification Database (MVD).

Lower Level Organization - Any organization created below the highest level organization.

LVD Contents Report - A check processing business report that allows you to view the contents of a Local Verification Database (LVD) for a given OTC Endpoint.

M

Magnetic Ink Character Recognition (MICR) - Digital characters on the bottom edge of a paper check containing the issuing bank's ABA number and account number. The check number may also be included.

Master Verification Database (MVD) - It is an online database specific to the agency that maintains the agency hierarchy check cashing policy, information on bad check writers, and manually entered blocked items based on an agency's policy. Bad check information is accumulated in the MVD as agencies process checks through Check Capture. The MVD provides downloads of dishonored check information and blocked items via the Local Verification Database (LVD) on a daily basis.

MVD Editor - A user that has the authorization to view, edit, and download CIRA records, view verification records, and read blocked records containing only ABA permissions.

MVD Viewer - A user that has the authorization to view and download CIRA records, view verification records, and read blocked records containing only ABA permissions.

N

Non-Personal Item Type - Indicates that the name on check is an organization, or the check is a money order, traveler's check, or third-party check.

Non-Reporting OTC Endpoints Report - A business report that allows you to view OTC Endpoints that have not reported a deposit.

O

Open Batch Status - Indicates the batch is open and accepting new checks.

Organization - The location or level within a Federal Program agency.

Organization Hierarchy - The structure of a Federal Program agency as defined in OTCnet.

Organization Hierarchy Report - A check processing business report that allows you to view the target OTC Endpoint within the context of the current OTC Endpoint.

OTC Collections - Receipts that contain cash, checks, and/or money orders that are collected over-the-counter by organization endpoints in exchange for goods or services.

OTC Endpoint - The endpoint (location) that collects over-the-counter (OTC) receipts and deposits them to the Treasury's General Account.

OTC Endpoint (CHK) - The endpoint (location) setup in OTCnet to use check capture.

OTC Endpoint (TGA) - The endpoint (location) setup in OTCnet to use Deposit Reporting.

OTC Endpoint Mapping - The assignment of accounting codes to an agency's OTC Endpoint, for which a deposit amount can be allocated.

OTCnet Offline - Refers to the over the counter application that provides Check Capture functionality to end users with limited internet connectivity, and provides the capability to upload offline-captured batches to the Online OTCnet application for processing.

OTCnet Online - Refers to the web-based over the counter application that provides Check Capture, Check Processing and Deposit Processing functions to end users (that have constant internet connectivity).

Over the Counter Channel Application (OTCnet) - Refers to the over the counter application that provide Check Capture and Deposit Reporting to end users.

P

Personal Item Type - Indicates that the name on check is an individual's name, not acting as a business.

Personally Identifiable Information (PII) - It is any piece of information which can potentially be used to uniquely identify, contact, or locate a single person or can be used with other sources to uniquely identify a single individual. Examples of PII include but are not limited to social security numbers, dates and places of birth, mothers' maiden names, biometric records.

Primary Local Security Administrator (PLSA) - An agency or financial institution/federal reserve bank user who has authorization to maintain user access to an organization, including assigning/removing user roles and assigning/removing organization hierarchy access. This user is also able to request and create users for the organization.

Processing Options - User-defined parameters for the deposit and adjustment processes.

Processing Options by OTC Endpoints Report - A business report that allows you to view processing options defined for endpoints within the organization.

Q

Queue Interface – Used by military agencies that utilize the Deployable Disbursing System (DDS) database bridge. It provides a single transaction input point, prevents data entry errors, and discrepancy between both systems.

R

Received - The agency has sent this transaction through OTCnet. No settlement has been performed for this transaction yet.

Received Date - The date the check was received by web-based OTCnet.

Rejected - A deposit that is returned by a financial institution or FRB to the Deposit Preparer to create a new deposit.

Represented - This transaction was returned with a reason code that allows for another collection attempt to be made (see Appendix Chapter of the Participant User Guides for Reason Codes). Depending on an agency's policy, the item is reprocessed in an attempt to collect the funds from the check writer. Items with this status are in-process of collection.

Retired - This transaction was unable to be collected. The agency receives an SF5515 Debit Voucher Report with a debit processed to Debit Gateway, the effective date and debit voucher number. The offset to the agency's debit is an ACH return or a paper return (Check 21) received from the check writer's financial institution. This transaction cannot be processed again through OTCnet.

Return Reason Codes - Represent the numeric codes used in the ACH and paper return processing, which specify the reason for the return of the transaction and Check 21 codes.

Return Settlement Date - The effective date of settlement of the returned check item.

Returned Item - A check that was originally part of an OTCnet deposit but returned to the financial institution for non-sufficient funds, closed account, etc.

Routing Transit Number (RTN) - (also known as **American Bankers Association (ABA) Number or Bank Routing Number**) - The nine-digit number used to identify a financial institution.

S

Save as Draft - An option that allows a Deposit Preparer to save a deposit for modification at a later date.

Save for Approval - An option that allows a Deposit Preparer to save a deposit for a Deposit Approver to submit to a financial institution.

Send Error Batch Status – Indicates the batch was transmitted and fully processed by the OTCnet server without error.

Sent Batch Status – Indicates the batch was uploaded online without error.

Separation of Duties - A concept used to ensure there are typically separate personnel with authority to authorize a transaction, process the transaction, and review the transaction.

Settle Best Method - The option that allows OTCnet to decide the best settlement method for personal and non-personal checks.

Settled - This transaction is complete and the funds have been credited to the agency's Treasury General Account. The effective date of the deposit and the SF215 Deposit Ticket Report deposit ticket number are provided.

Settlement Date - The payment date of a check item, which is when the deposit is debited from the check writer's account.

SF215 Deposit Ticket Report - The report presented to a financial institution by a U.S. government agency with checks and other payment instruments to make a manual deposit. This report is manually generated for Deposit Reporting and auto-generated for Check capture. The report is searchable for a duration of up to 45 days in OTCnet.

SF5515 Debit Voucher Report - The report used to debit the Treasury General Account (TGA) to decrease the amount of a deposit made to that account. This report is manually generated for Deposit Reporting and auto-generated for Check capture. The report is searchable for a duration of up to 45 days in OTCnet.

Share Accounting Module (SAM) - The application that facilitates the process of validating or deriving Treasury Account Symbol (TAS) and Business Event Type Code (BETC) combinations to assist CARS/GWA in classifying financial transactions as they occur.

Short Name/Code - The user-defined text describing an organization. Short Names/Codes must be unique within an organization hierarchy.

Submit - An option that allows a Deposit Approver to submit a deposit to a financial institution.

Submitted - A deposit that is submitted and waiting deposit confirmation by a Deposit Confirmer.

Suspend - Indicates that an individual's record is set to a predetermined suspension period. During this time, OTCnet prevents an individual from processing a check through OTCnet. The individual's database record has a Trade Status of Suspend and the expiration date is set until a specific date.

T

Terminal ID - The unique number assigned to the workstation where a user performs functions in OTCnet.

Trade Status - Represents the status of the verification records. There are four possible trade statuses in the system: Blocked, Denied, Suspended, and Cleared. The Trade Status D-Suspended or D-Denied is assigned to auto generated Dynamic records.

Transaction History - Defines the time range that a Deposit Confirmer will be able to view the historical deposit transactions for his or her financial institutions. For example, if the transaction history is set at 45 days, the Deposit Confirmer will be able to view all the deposits that he or she has confirmed for the past 45 days.

Treasury Account Symbol (TAS) - The receipt, expenditure, appropriation, and other fund account symbols and titles as assigned by Treasury.

U

Universal Serial Bus (USB) - A connection port on a computer that is universally compatible with many types of devices, such as printers, speakers, mouse, flash drives, etc.

US Dollar Equivalent (USE) - The deposit amount, in United States currency, which is equal to the foreign currency for which it is being exchanged.

US Treasury - The executive department and the Treasury of the United States federal government.

User Defined Field (UDF) - A user-defined text that describes deposit activity or deposit accounting activity.

User Information Report - A security report allows that you to view a user's contact information.

Users by Access Group (FI) Report - A security report that allows you to view users by financial institution.

Users by Access Group (FPA) Report - A security report that allows you to view users by OTC Endpoint.

Users by Role (FI) Report - A security report that allows you to view users by role for your financial institution.

Users by Role (FPA) Report - A security report that allows you to view users by role for your OTC Endpoint.

V

View CA\$HLINK II File Status Report - An administration report that allows you to view the status of deposit report files that have been processed by CA\$HLINK II or are ready for CA\$HLINK II to process.

View FRB CA\$HLINK File Status Report - An administration report allows you to view the status of deposit files that have been sent to FRB CA\$HLINK.

View TRS File Status Report - An administration report allows you to view the status of TRS files that have been processed by Transaction Reporting System (TRS) or are ready for TRS to process.

View Vouchers Completed Report - An administration report allows you to view the status of deposit and adjustment vouchers that have completed processing through the FI System To System Interface in the past 36 hours.

View Vouchers in Progress Report - An administration report allows you to view the status of deposit and adjustment vouchers in progress.

Viewer - A user who has authorization to view OTCnet information and produce reports from it.

Voucher Date - The business processing day the check transaction is received by the Debit Gateway from the channel applications.

Voucher Number - The number assigned to a deposit by OTCnet.

Index

ActiveX must be enabled in browser.....	9	OTCnet Check Capture Application System	
ActiveX Must Be Enabled in Browser	4	Requirements.....	4
Adobe	4, 10	OTCnet Check Capture Hardware Requirements	6
Adobe Reader ¹	4, 10	6
Charging the Battery Pack	7	OTCnet Check Capture Offline Application	
Check Scanning and Check Processing.....	9	System Requirements.....	5
Connecting the Battery Pack	7	OTCnet General Requirements	9
Entrust Root Certificate	9	OTCnet System Requirements.....	3
Free Disk Space.....	5	OTCnet Technical Reference Guide.....	9
Internet Options Security Settings	9	OTCnet URL Added to Trusted Sites Zone	9
Java Access Bridge.....	5	OTCnet URLs Added to Trusted Sites Zone	4
Java Runtime Environment (JRE) 1.6.0_20 or		Printer Hardware.....	6
1.6.0_24	4, 9	Scanner Drivers (.MSI installation file):.....	4, 9
McAfee Exclusion.....	5	Scanner Hardware	6
Operating System	3	Secondary Storage	5
Optional Battery Pack	7	System Requirements	3
Optional Yes/ No Keypad.....	8	Treasury Root Certificate.....	4, 9
OTCnet Bandwidth Requirements	5	Windows User Permissions	5